## **Australian Tropical Herbarium**



# Plant Identification and Botanical Information Services Botanical Specimens for Identification

Complete this form (one for <u>each</u> specimen) and send with specimen/s to:

Australian Tropical Herbarium E2 Building, JCU Cairns Campus P.O. Box 6811 Cairns QLD 4870

frank.zich@csiro.au

Office Use Only			
Date received			
Identification no.			
Date of despatch			

Company / Departmer	nt:
ABN :	
Postal Address :	
	Postcode :
Telephone :	Fax :
Email :	
Please send results by	post email fax telephone
Purpose of identification	suspected poisonous weed detection commercial general interes
. urpood or ruomamouno.	
	other (please describe)
Level of identification re	equired Eg. Family / Genus / Species
Charge Category Claime	ed (reviewed by ATH staff). Please refer to schedule of charges.
	non-commercial public (free up to 6 specimens/year) Commercial
geographic distribution red	imens sent for identification are frequently retained in the collection for scientific research cords. The label information for single specimens/locations should be completed below. I ons should be attached or supplied electronically.
geographic distribution rec multiple specimens/location Specimen data aids the id	cords. The label information for single specimens/locations should be completed below. I
geographic distribution rec multiple specimens/location Specimen data aids the id Collector's Name & No.:	cords. The label information for single specimens/locations should be completed below. It is should be attached or supplied electronically. It is lentification process and greatly increases the scientific value of the specimen.
geographic distribution red multiple specimens/location	cords. The label information for single specimens/locations should be completed below. It is should be attached or supplied electronically. It is also be attached or supplied the specimen.  Date of collection
geographic distribution remultiple specimens/locatic Specimen data aids the id Collector's Name & No.:  Botanical name (if known)	cords. The label information for single specimens/locations should be completed below. It is should be attached or supplied electronically. It is also be attached or supplied the specimen.  Date of collection
geographic distribution remultiple specimens/locatic Specimen data aids the id Collector's Name & No.:  Botanical name (if known)	cords. The label information for single specimens/locations should be completed below. It can be should be attached or supplied electronically. Identification process and greatly increases the scientific value of the specimen.  Date of collection  nearest town)
geographic distribution remultiple specimens/locatic Specimen data aids the id Collector's Name & No.:  Botanical name (if known)  Locality (include distance to	cords. The label information for single specimens/locations should be completed below. It can should be attached or supplied electronically. Identification process and greatly increases the scientific value of the specimen.  Date of collection  nearest town)  "S Longitude " "E
geographic distribution reconstruction reconstruction reconstruction specimens/location specimen data aids the identification of the second se	cords. The label information for single specimens/locations should be completed below. It can should be attached or supplied electronically. Identification process and greatly increases the scientific value of the specimen.  Date of collection  nearest town)  "S Longitude  " "E  (eg 9442 333 666)
geographic distribution remultiple specimens/locatic Specimen data aids the identification of the specimen of the specimens of	cords. The label information for single specimens/locations should be completed below. It can should be attached or supplied electronically. Identification process and greatly increases the scientific value of the specimen.  Date of collection  nearest town)  "S Longitude  " "E  (eg 9442 333 666)
geographic distribution remultiple specimens/locatic Specimen data aids the identification of the specimen of the specimens of	cords. The label information for single specimens/locations should be completed below. It can should be attached or supplied electronically. Identification process and greatly increases the scientific value of the specimen.  Date of collection  nearest town)  "S Longitude  "E  (eg 9442 333 666)  , Easting, Northing) S systems): e.g. AGD84, AGD66, WGS84, GDA94
geographic distribution remultiple specimens/locatic Specimen data aids the identification of the identificati	cords. The label information for single specimens/locations should be completed below. It is should be attached or supplied electronically. It is lentification process and greatly increases the scientific value of the specimen.  Date of collection  nearest town)  "S Longitude  " "E  (eg 9442 333 666)  , Easting, Northing)  S systems): e.g. AGD84, AGD66, WGS84, GDA94
geographic distribution remultiple specimens/locatic Specimen data aids the identification of the identificati	cords. The label information for single specimens/locations should be completed below. It can should be attached or supplied electronically. Identification process and greatly increases the scientific value of the specimen.  Date of collection  nearest town)  "S Longitude  "E  (eg 9442 333 666)  , Easting, Northing) S systems): e.g. AGD84, AGD66, WGS84, GDA94 ank, mountain)
geographic distribution remultiple specimens/locatic Specimen data aids the identification of the identificati	cords. The label information for single specimens/locations should be completed below. It can should be attached or supplied electronically. Identification process and greatly increases the scientific value of the specimen.  Date of collection  The label information for single specimens/locations should be completed below. It can should be attached or supplied electronically. It can be specimen.  Date of collection  The label information for single specimens/locations should be completed below. It can be specimens. It can be spe
geographic distribution remultiple specimens/locatic Specimen data aids the identification of the identificati	cords. The label information for single specimens/locations should be completed below. It can should be attached or supplied electronically. Itentification process and greatly increases the scientific value of the specimen.  Date of collection  The initial collection  Date of collection  The initial collection  The initial collection  The initial collection  Date of collection  The initial collection  The initial collection  The initial collection  The initial collection collection  The initial collection collection  The initial collection collection  The initial collection collection collection collection  The initial collection
geographic distribution remultiple specimens/locatic Specimen data aids the identification of the identificati	cords. The label information for single specimens/locations should be completed below. It can should be attached or supplied electronically. Identification process and greatly increases the scientific value of the specimen.  Date of collection  The label information for single specimens/locations should be completed below. It can be attached or supplied electronically. It can be a supplied electronically. It can be attached or supplied electron

### **Identification List**

Specimen	Family	Taxon Name

Office Use Only

Staff Member	# IDs	Time	Total

#### **Schedule of Charges**

GST is added to the amounts detailed below. A 60% surcharge is added for urgent requests.

Service	Charge	Description		
Plant identification service	Free	Ad hoc plant identification services for non-commercial enquiries by members of the general public and amateur organisations. Up to 6 specimens per individual per year after which commercial fees apply		
Commercial Plant identification service	\$150.00 per hour (standard charge) \$75.00 per hour (reduced rate)	Plant identification services. The standard charge applies to plant identification services for commercial enquiries.  Reduced rate applies when quality, desirable specimens are given to the ATH; where specimens were collected as part of a collaborative project with the ATH; or otherwise at the discretion of the Director. Fees may be waived entirely in special circumstances at the discretion of the Director.		
General botanical information services	Free	Information services for members of the general public and amateur organisations where the service requires less than one hour.		
Professional botanical information services	Minimum charge of three hours	Professional botanical information services including literature searches, data queries, data entry, taxonomic and nomenclature validity checks, proofreading of botanical manuscripts.  Charges are based on an hourly rate for providing these services. Hourly charges are linked to the salary scale of a CSIRO 4M officer (ca. \$37.60).		
Data provision	\$80.00 (small search) \$150.00 (large search)	In addition to the search fee a charge of \$1.10 per specimen record will be charged.		
Botanical Consulting Fee	\$130.00 to \$190.00 / hour depending on the complexity of the consultancy			

#### **Disclaimer of Liability**

No guarantees or warranty, expressed or implied, including warranties of merchantability and fitness for a particular purpose, are made by the Australian Tropical Herbarium as to the accuracy, quality, completeness, availability or usefulness of data, information, apparatus, product, or process disclosed, provided through this service, and no responsibility or legal liability is assumed by the Australian Tropical Herbarium for any damages or inconvenience arising from its use.

#### Please note that

- 1. Sterile specimens will only be identified to genus, assuming this is possible.
- 2. Total time will include administration time.
- 3. The Australian Tropical Herbarium will not keep vouchers of identifications made. The onus is on the client to do this if further queries will be made.

Signature:	 	 	
0			
Date:	 	 	